

185/MEM/SEC/PCC/2018

No. PCC/DDD/NGT NEW DELHI-477/2015/
Pollution Control Committee, 17-18/100
DD & DNH,
Daman.

Dated:- 25/04/18

CORRIGENDUM

Sub: Use of Lead stabilizer in manufacturing of Polyvinyl Chloride pipes

Ref: Circular issued vide No. PCC/DDD/NGT NEW DELHI-477/2015/17-18
dated 15/02/2018.

With reference to the above mentioned circular dated 15/02/2018 it is clarify that as per the Judgement dated 25th May 2017 passed by the Hon'ble National Green Tribunal (NGT), Principal Bench, New Delhi in the Matter of Jan Sahyog Manch Vs. Union of India & Others (Original Application No.477 of 2015) Secretary, Ministry of Environment, Forest & Climate Change was directed to:

1. To notify, if required with concerned agencies the quality standards of lead to be used for the PVC pipes within four months from 25th May 2017.
2. To lay down the standards for presence of lead in PVC pipes, in consultation with BIS.
3. To draw up a program for phasing out of lead as stabilizer in PVC pipes.

In the aforesaid matter another order was passed by the Hon'ble National Green Tribunal on 24th January, 2018 through which a further six month time had been granted to the Ministry of Environment, Forest & Climate Change for compliance of the order dated 25th May 2017.


Member Secretary,
Pollution Control Committee,
Dadra & Nagar Haveli,
Silvassa.

Copy to:

1. The Chairman, Pollution Control Committee Daman & Diu and Dadra Nagar Haveli.
2. The Member Secretary, Pollution Control Committee Daman & Diu.
3. The General Manager, District Industries Center, Silvassa
4. The Deputy Director, NIC, Silvassa with a request to display on official website of UT Administration of Dadra Nagar Haveli.
5. The President, Silvassa Industries Association/ Dadra Nagar Haveli Industries Association/ Silvassa Industries & Manufacturers Association/ Federation of Industries Associations, Silvassa.
6. All India Plastics Manufacturers' Association, AIPMA House, A-52, Road No. 1, M.I.D.C., Marol Andheri (East) Mumbai - 400022